Sl No	Description of Work	Unit	As per Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
39	Supplying and fixing M.S Rectangular poles made out of 2 equal angles of 65x65x6 mm welded together and fixed in cc 1:2:4 with 2 nos 16mm dia M.S hold fast rods each of length 25cms. Including cost of all materials cutting, bending scaffolding wherever necessary, nicely finishing the welding joints with all lead lifts and as per directions of the Engineer -in- charge of the work and including two coats of paint over one coat of shop painting (excluding cost of earthwork and concrete) ---- All terms and conditions as per the Tender document	m	0.00			0.00	875.0	0.00	0.00	0.00	
40	Providing and fixing M.S block pipe of 38mm dia of heavy gauge of 14 including removing the bends, cutting the pipe and fixing between the two vertical poles(M.S rectangular poles) and spot welding the chain link with M.S block pipe including cost of all materials wastage in cutting and scaffolding wherever necessary with all lead and lift as directed by the Engineer-in-charge of work etc., complete including two coats of approved quality paint over one coat of shop paint ---- All terms and conditions as per the Tender document	m	0.00			0.00	325.0	0.00	0.00	0.00	

Sl No	Description of Work	Unit	As per Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
41	Providing chain link fencing 50mm size of 8 gauge properly stretched between rectangular poles and fixed with suitable bolts & nuts, the free end shall be welded to the pole and block pipe to the top and bottom as required including cost of all materials, labour, lead and lifts and as per the directions of the Engineer-in-charge of work including two coats of approved quality paint over one coat of shop paint ---- All terms and conditions as per the Tender document	Sqm	0.00			0.00	700.0	0.00	0.00	0.00	
42	Providing and fixing M.S.Gate as per architects drawingusing 50 x50 mm 14 guage M.S. Hollow pipe frame work bent to ornamental shape and 35 x 6 mm and 16 x 16 mm square rods vertically alternatively spaced at 4 cmc/c/ in two halves and 40 x 6 mm M.S.Flats for horizontal member at top and cast iron spikes are provided at alternate vertical members ---- All terms and conditions as per the Tender document	Sqm	0.00			0.00	3100.0	0.00	0.00	0.00	

Sl No	Description of Work	Unit	As per Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		
				Qty	Amount in Rs.	Qty.	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
43	Providing & fixing white vitreous china clay , water closet European type (Pedestal type , S-Trap) with black solid plastic seat and lid . CP Brass hinges , rubber buffers, 10 litre white glazed / vitreous china clay low level flushing cistern (all are approved make) with fittings C.I. /M.S. Brackets , 40 mm diameter flush bend fittings and clamps over flow arrangement with specials and 25 mm mosquito proof coupling of approved design , painting of fittings and brackets ,cutting and making good the wall and floor wherever required , including cost of materials, labour complete as per specifications. ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Nos.	3.00			3.00	5300.0	15900.00	3.00	15900.00	
44	Providing and fixing white vitreous china clay, flat back wash basin size 630x450mm with a single of 15mm C.P brass pillar taps with C.I / M.S. brackets, 32 mm C.P. brass waste of standard pattern, painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications. ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Nos.	2.00			2.00	4000.0	8000.00	2.00	8000.00	
45	ksrb13-6,1-2:Providing and fixing in position brass bib cock of approved quality 20 mm dia nominal bore including cost of materials, labour HOM of equipments with all leads complete with specifications Specification .No.KBS 13.2.2./13.3 ---- All terms and conditions as per the Tender document	Each	10.00			10.00	250.0	2500.00	10.00	2500.00	

Sl No	Description of Work	Unit	SS put Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		Remarks
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
46	Providing and fixing to wall, ceiling and floor unplasticised PVC 6kgs/sqm working pressure with pipe fittings, walll clips etc. and making good the wall , ceiling and floor for sanitary pipe lines including cost of all materials, labour HOM of acquirements and testing complete as per specifications.75 mm dia ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Rmt	30.00			30.00	300.0	9000.00	30.00	9000.00	
47	b) 110 mm dia ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Rmt	20.00			20.00	435.56	8711.20	20.00	8711.20	
48	Providing and fixing rigid PVC bend of required degree (of approved make) for S.W.R. drainage pipes of approved including lubricating. ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	16.00			16.00	550.0	8800.00	16.00	8800.00	
49	Providing and fixing CI Nahani trap of approved make conforming to ISI specifications and construction of Cistern in CC 1:2:4 as per directions of 12.5cms x 7.5cms (Rate is inclusive of cost of materials and fixtures and conveyanceof materials to work spot). ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	No.	20.00			20.00	300.0	6000.00	20.00	6000.00	

Sl No	Description of Work	Unit	SS PH Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
50	Constructing brick masonry inspection chamber 600X600mm, and 450mm depth, (clear inside dimension) for single pipeline, using table moulded non-modular bricks of class designation 50 in cement mortar 1:5, C.I. cover with frame (light duty) 455x610mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) R.C.C. top slab with cement concrete M-15 with 20mm and downsize granite metal, foundation concrete 1:5:10 with 40mm and downsize granite metal inside plastering 12mm thick with cement mortar 1:3 finish smooth with a floating coat of cement on walls and bed concrete complete as per standard design including cost of materials, labour charges, curing complete as per specifications. Specification No. KBS ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	No.	2.00			2.00	9600.0	19200.00	2.00	19200.00	
51	Providing and fixing CPVC pipes confirming to IS 15778 , having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fittings including fixing the pipe with clamp at 1.00 mt spacing . This includes jointing of pipes and fittings with one stepCPVC Solvent cement and cost of cutting chases and making good the same including testing of joints complete (concealed work including cutting chasea and good the walls etc.) 32mm dia ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Rmt	10.00			10.00	330.0	3300.00	10.00	3300.00	

Sl No	Description of Work	Unit	SS PD Modified Schedule: B Qty	Percent Measurement		Percent Measurement			Total Upto Date		
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
52	25mm dia ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Rmt	70.00			70.00	250.0	17500.00	70.00	17500.00	
53	Providing and fixing in position brass stop cock of approved quality 32mm nominal bore including cost of all materials, labour and HOM of equipments with all leads complete as per specifications.(PWD, S.R. 2016-17)(p 91,, Item No.13.29) ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	16.00			16.00	160.0	2560.00	16.00	2560.00	
54	Providing and fixing in position brass gate valve with C.I. Wheel of approved quality (screed end) 5 mm nominal bore including cost of all materials , labour , HOM of equipments ith all lead , complete as per specifications. ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Nos	4.00			4.00	1000.0	4000.00	4.00	4000.00	
55	Core cutting for taking pipes and bore packing water tight with cement concrete and waterproof ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Job	2.00			2.00	9000.0	18000.00	2.00	18000.00	

	Description of Work	Unit	As per Modified Schedule: B Qty	Tender Quantities		Tender Quantities			Total Upto Date		
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
56	Earthwork excavation for foundation of buildings, culverts, water supply, sanitary lines and electrical conduits either in pits or in trenches 1.5m.and above in width, in ordinary soil not exceeding 1.5m.in depth including dressing the bottom and sides of pits and trenches, stacking the excavated soil clear from edges of excavation with lead upto 50 m. after breaking of clods complete as per specifications.specification No.KBS 2.1(a)/2.3.5 ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Cum	12.00			12.00	200.0	2400.00	12.00	2400.00	
57	Providing and laying in position to required level or slope 150mm internal diameter salt glazed stoneware pipes grade A and jointing with stiff mixture of cement mortar in proportion of 1:1, testing of pipes and joints, including cost of materials, labour charges complete as per specifications. Specification No. KBS 12.2.5/12.7 ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Rmt	10.00			10.00	350.0	3500.00	10.00	3500.00	
58	Refilling available earth around the pipeline, cables in layers not exceeding 20 cms in depth, compacting each deposited layer by ramming after watering with lead upto 50 m and lift upto 1.5m including cost of all labour complete as per specifications. ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	cum	12.00			6.08	80.0	486.00	6.08	486.00	

Sl No	Description of Work	Unit	SOR 2018 Modified Schedule-B Qty	Tender Quantity		Agreed Quantity			Executed Qty upto date		
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
59	Providing stoneware gully trap of approved quality and make fixing inm-15 and plastering with CM 1:3 wherever necessary. (Rate includes cost of all materials, fixtures and lead). (15cms x10cms) ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	No.	4.00			4.00	275.0	1100.00	4.00	1100.00	
60	Earthwork excavation for foundation of buildings, culverts, water supply, sanitary lines and electrical conduits either in pits or in trenches 1.5m.and above in width, in ordinary soil not exceeding 1.5m.in depth including dressing the bottom and sides of pits and trenches, stacking the excavated soil clear from edges of excavation with lead upto 50 m. after breaking of clods complete as per specifications.specification No.KBS 2.1(a)/2.3.5 ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	cum	12.00			12.00	200.0	2400.00	12.00	2400.00	
61	Providing and fixing in trenches galvanised medium grade 50mm dia nominal bore with all fittings (earth work in trenches to be measured and paid for seperately) including cost of all materials, labour charges,HOM of equipments and testing complete as per specifications (From Sump to OHT) ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Rmt.	12.00			12.00	540.0	6480.00	12.00	6480.00	

Sl No	Description of Work	Unit	As per Modified Schedule: B Qty	Previous Measurement		Present Measurement			Total Upto Date		Remarks
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
62	Refilling available earth around the pipeline, cables in layers not exceeding 20 cms in depth, compacting each deposited layer by ramming after watering with lead upto 50 m and lift upto 1.5m including cost of all labour complete as per specifications.) ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	cum	12.00			12.00	80.0	960.00	12.00	960.00	
63	Providing and fixing 50mm dia nominal bore gun metal non-return valve horizontal type of approved make including cost of all materials,labour charges,HOM of equipments and testing complete as per specifications ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	No.	4.00			4.00	1500.0	6000.00	4.00	6000.00	
64	Providing and placing on terrace , polyethylene water storage tanks (1000 ltr capacity) ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	No.	4.00			4.00	9000.0	36000.00	4.00	36000.00	
65	Earthwork excavation for foundation of structures as per drawings and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavation earth to the extent required and utilising /tramsporting the remaining earth locally upto1.0kms lead - Ordinary Rock (not required blasting)- Manual means) ---- All terms and conditions as per the Tender document	Cum	25.60			7.11	70.0	497.54	7.11	497.54	

Sl No	Description of Work	Unit	As per Schedule of Rate Qty	Estimate Tendered Qty	Estimate Tendered Amount in Rs.	Finalised Quantities Qty	Finalised Quantities Rate in Rs.	Finalised Quantities Amount in Rs.	Total Upto Date Qty	Total Upto Date Amount in Rs.	Remarks
66	Providing and laying in position plain cement concrete of mix 1:3:6 with OPC Cement @220kgs with 40mm and down size graded granite metal coarse aggregate @0.892 cum and fine aggregates @0.465 cum machine mixed, concrete laid in layers not exceeding 15 cms. thick, well compacted, in foundation including cost of all materials, labour, 110M of machinery, curing complete as per specifications . Specification No. KBS4.1,4.2 ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Cum	0.80			0.80	5400.0	4320.00	0.80	4320.00	
67	Providing and laying in position reinforced cement concrete of design I mix M25 with OPC cement @340 Kg with 20mm and downsize graded granite metal coars aggregates @0.70 cum and fine aggregates @0.47 cum with superplasticisers @ 3 liters confirming to IS9103-1999 Reaffirmed -2008 at machine mixed concrete laid in layers not exceeding 15 cms thick, vibrated for all works in foundation for footings, pedestals, retaining wall returns walls, walls(any thickness) including attached pilasters, coloumns, pillars, posts, struts, buttresses bed blocks, anchor blocks & plinth etc., including cost of all materials labour HOM of machinary curing complete as per specifications, specifications No KBS-4.1, 4.6 specification No:KBS4.1,4.6(PWD SR 2016-17)(Page No.13 item No.4.10) ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Cum	2.02			0.59	6500.0	3839.06	0.59	3839.06	

Sl No	Description of Work	Unit	As per Technical Sheduled Qty	Quantity Executed		Quantity Measured			Total Upto Date		Remarks
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
68	Extra for use of water proofing compound in Cement concrete of mix 1:1:2, at one kg of compound per bag of cement. ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Cum	2.02			0.59	260.0	153.56	0.59	153.56	
69	Providing and removing centering, shuttering, strutting, propping etc., and removal of from work for sides and soffits of beams, beam haunchings, cantilever griders, bressumers and lintels not exceeding 1 m in depth including cost of all materials, labour complete as per specifications. Specification No. KBS 4.6.2 ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Sqm	7.68			3.15	260.0	819.00	3.15	819.00	
70	Providing and removing centering, shuttering, strutting, propping etc., and removal of from work for flat surface such as suspended floors, roofs landings, balconies and likes, thickness upto 200mm including cost of all materials, labour complete as per specificationSpecification No. KBS 4.6.2 - 0-5.0mts Ht ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Sqm	5.12			3.94	565.0	2224.69	3.94	2224.69	

Sl No	Description of Work	Unit	Quantity as per Modified Schedule B Qty	Revised Measurement		Revised Measurement			Total Upto Date		Remarks
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
71	Providing and constructing load bearing wall with solid concrete blocks having block density not less than 1800kg/cum having a minimum average compressive strength of 4.00N/mm2 confirming to IS 2185(Part 1):2005 and constructed with CM 1:4, as per IS 2572:2005 including cost of all materials labour charges, scaffolding , curing , hire charges of machineries etc., complete as per specfications . KBS No.5.4 with solid concrete blocks of size 40x20x20cm ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Sqm	43.20			43.20	1000.0	43200.00	43.20	43200.00	
72	Providing TMT Steel reinforcement for RCC work including straightening, cutting, bending, hooking placing in position lapping and/ or welding wherever required typing with binding wire and anchoring to the adjoining members wherever necessary complete as per design(laps, hooks and wastage shall not be measured and paid) cost of materials labour, HOM of machinery complete as per specifications, Specification No KBS 4.6.3 -do- TMT bars Fe 500(PWD SR 2016-17)(Page No.1 item No.4.46.2) ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Tonne	0.24			0.24	75000.0	18076.50	0.24	18076.50	

Sl No	Description of Work	Unit	As per Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		Remarks
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
73	Filling available excavated earth (excluding rock) in sides of foundations upto plinth in layers not exceeding 20 cms. in depth, compacting each deposited layer by ramming after watering with lead upto 50 m. and lift upto 1.5 m. including cost of all labour complete as per specifications. specification. No. KBS 2.9. ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Cum	16.96			3.54	100.0	354.38	3.54	354.38	
74	Providing 20 mm thick cement plaster in single coat with CM 1:3 to stone masonry / concrete surface including rounding off corners wherever required smooth rendering: Providing and removing scaffolding, including cost of materials, labour, curing complete as per specification. --- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Sqm	42.24			29.30	250.0	7323.75	29.30	7323.75	
75	Providing 12mm thick cement plastering in single coat with cement mortar 1:3 to ceiling l including rounding off corners wherever required smooth rendering, Providing and removing scaffolding, including cost of materials, labour, curing complete as per specification. ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Sqm	4.40			4.40	185.0	814.00	4.40	814.00	
76	Providing and fixing MS door for sump including cost of labour, materials and one coat of primer paint and two coats of enamel painting etc, as directed by the engineer in charge of work. ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Sqm	0.72			0.72	3700.0	2664.00	0.72	2664.00	

Sl No	Description of Work	Unit	As per Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		Remarks
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
77	Open Conduit System Supplying heavy gauge PVC conduit pipe .....dia ..... mm thick confirming to IS 2509 with suitable size bends, junction boxes, adhesive paste etc., and fixing using inverted wood plugs in case of RCC ceiling and RCC wall / stone structure or rawl plugs in case of brick walls and cement plastering the damaged portion using heavy gauge saddles at an interval of 700mm using NF screws. 19/20mm dia 2mm thick ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Mtr	300.00			300.00	50.0	15000.00	300.00	15000.00	
78	b) 25mm dia 2mm thick ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Mtr	260.00			260.00	60.0	15600.00	260.00	15600.00	
79	Concealed Conduit System: Supplying heavy guage PVC conduit pipe ...mm dia ...mm thick confirmingto IS 2509 with suitable size bends, Metal/PVCjunction boxes, adhesive paste etc, and running before concreting the slab. The conduit should be tied to the reinforcement rods by using binding wires and unused ways of junction boxes and pipe ends should be covered using PVC end enclosures run with 18SWG GI fish wire where ever necessary. 19/20mm dia 2mm thick ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Mtr	40.00			40.00	40.0	1600.00	40.00	1600.00	
80	b) 25mm dia 2mm thick ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Mtr	30.00			30.00	50.0	1500.00	30.00	1500.00	

Sl No	Description of Work	Unit	As per Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		Remarks
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
81	Groove Cutting : Supplying heavy guage PVC conduit pipe ...mm dia ...mm thick with suitable size bends, Metal/PVCjunction boxes, adhesive paste etc, by groove cutting in wall and fixing by using U or J hooks and cement plastering up to the wall surface and run with 18SWG GI fish wire through out the conduit where ever necessary. 19/20mm dia 2mm thick ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Mtr	120.00			120.00	50.0	6000.00	120.00	6000.00	
82	b) 25mm dia 2mm thick ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Mtr	80.00			80.00	55.0	4400.00	80.00	4400.00	
83	Supplying and flush mounting powder coated / galvanized metal box suitable for mounting modular switch plates. The box should be firmly flush mounted after due groove cutting in Brick/Stone/C.C wall 1-3Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	50.00			9.00	85.0	765.00	9.00	765.00	
84	b) 4-5Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	40.00			3.00	90.0	270.00	3.00	270.00	
85	c) 6Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	10.00			6.00	100.0	600.00	6.00	600.00	
86	d) 8Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	30.00			7.00	125.0	875.00	7.00	875.00	
87	e) 10-12Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	20.00			11.00	150.0	1650.00	11.00	1650.00	

Sl No	Description of Work	Unit	As per Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		Remarks
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
88	Supplying and fixing superior quality modular switch mounting polycarbonate plate with necessary supporting back plate with required nos. of machine screws, bolts nuts etc., complete on the existing metal/PVC box. 1-3Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	50.00			9.00	85.0	765.00	9.00	765.00	
89	b) 4-5Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	40.00			7.00	110.0	770.00	7.00	770.00	
90	c) 6Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	10.00			10.00	165.0	1650.00	10.00	1650.00	
91	d) 8Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	30.00			8.00	175.0	1400.00	8.00	1400.00	
92	e) 10-12Way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	20.00			11.00	260.0	2860.00	11.00	2860.00	
93	Supplying and fixing of modular switch/ Socket/stepped electronic fan regulator/ dimmer/telephone socket etc on existing modular switch plate as per IS 3854 and IS 1293. 6Amps one way ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	104.00			51.00	55.0	2805.00	51.00	2805.00	
94	b) 6Amps 3way socket ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	8.00			8.00	85.0	680.00	8.00	680.00	
95	c) Stepped Fan Regulator ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	32.00			10.00	275.0	2750.00	10.00	2750.00	

Sl No	Description of Work	Unit	As per Modified Shedule-B Qty	Previous Measurement		Present Measurement			Total Upto Date		Remark
				Qty	Amount in Rs.	Qty	Rate in Rs.	Amount in Rs.	Qty	Amount in Rs.	
96	d) 16Amps one way switch ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	12.00			5.00	100.0	500.00	5.00	500.00	
97	e) 6/16Amps universal socket ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	12.00			5.00	125.0	625.00	5.00	625.00	
98	f) TV/Telephone socket ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	2.00			2.00	75.0	150.00	2.00	150.00	
99	supplying and wiring adopting loop system in existing PVC conduit / casing capping using 1100 v grade , copper conductor flexible multistrand FRLS PVC insulated, 2 x1.5sq.mm cable confirming to the GTP, without switch, the other end of the wires shall be terminated with sufficient loose length in a wood /PVC cound block. complete for each outlet. Short point up to 3Mtr from tapping point to out let via switch box ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	24.00			12.00	125.0	1500.00	12.00	1500.00	
100	b) Medium point above 3Mtr up to 6Mtr from tapping point to out let via switch box ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	90.00			90.00	200.0	18000.00	90.00	18000.00	
101	c) Long point above 6Mtr up to 10Mtr from tapping point to out let via switch box ---- All terms and conditions as per the Tender document and as per the direction Engineer-in-Charge	Each	30.00			30.00	325.0	9750.00	30.00	9750.00	